




Accessories

Reference **Guide**



Equipment to make our products
more versatile.

Optional Accessories - Microphones and Conference Systems

Product Series	Model	Series Picture	Optional Accessories
UHF Wireless Microphone Systems	WT-5800		
	WT-5805		
	WT-4820		
	WM-5325		
	Headset Microphones	(WM-5325H, WM-5325A)	
	WD-5800 (for WT-4800, WT-5805, WT-4820, S5 Series)		
Infrared Wireless Microphone System	IR-200M		
	IR-300M		
	IR-310M		
	IR-700D		
	IR-702T (MB-WT3, MB-WT4 only)		
Boundary Microphone	EM-800		
Infrared Conference Systems TS-820/TS-920 Series	TS-920RC TS-820		
	TS-921 TS-821 TS-922 TS-822		
TS-820/TS-920 Accessories	TS-905 / TS-907		

Optional Accessories - Rack Mount Equip., Network Audio...

Product Series	Model	Series Picture	Optional Accessories
Digital Matrix Mixer	M-8080D		DSP system options M-804EX, M-82210, M-800RC, M-802RC, M-800RCT, M-800RM
Network Audio	NX-100 NX-300 (YC-850 only)		
Program Timer	TT-104B		
Digital Message Repeater	EV-20R		
	EV-700		
AM/FM Synthesizer d Tuner	DT-940 UL		

Optional Accessories - Mixers/Amplifiers

Product Series	Model	Series Picture	Optional Accessories
A-800 Series	A-812 A-824, A-848		
A-900 Series	A-903MK2, A-906MK2, A-912MK2, M-900MK2		
P-900 Series	P-906MK2, P-912MK2		
	P-924MK2		
BG-2000	BG-2035, BG-2060, BG-2120, BG-2240D-AM		
BA-200 / BG-200 Series	BG-220, BG-235		
	BA-235, BA-260		
DA Series	DA-150EH, DA-250DH, DA-250FH, DA-500F-HL		
Micro Amplifier	AV-20D AV-60S		
All Models	PF-013B Perforated Vent Panel	[All Models]	
	MT-251H-Q		Transformer Converts 70 V to 25 V

Speaker Mounting Accessories

Ceiling Speakers	PC-580RU / PC-580RVU	PC-580S	PC-580SBT	PC-1860S	PC-648R
Installation Configurations					
Flush Mount Back Box	HY-BC580U	Q-BB-580S			
Back Box	BB-580	Q-BB580W		BB-1864	
Baffle				HY-RB1860 for PC-1860S only	
Mounting Channel	Q-HY-TB2				

Horn Speakers			
Installation Configurations	SC-615/SC-615T; SC-630/SC-630TU; SC-651	TH-660	IP-A1SC15
Swivel Bracket	YS-151S		Mounting bracket: SP-131, SP-201, SP-301 Pole band: YS-60B

Wall Mount Surface Speakers	
Installation Configurations	BS-1030B BS-1030W
Ceiling Mounting Bracket	SP-410
Wall Mounting Bracket	SP-420

Interior Design Speakers				
Installation Configurations	H-1 EX 	H-2 EX H-2WP EX 	H-3 EX H-3 WP EX 	HB-1
Ceiling Mount Bracket	Ceiling Mount Bracket HY-H1			Matching Transformer MT-S0601
Optional EQ Modules	E-04R	E-05R	E-06RB**	E-07R

Speaker Mounting Accessories

Wide-Dispersion Box Speakers				
Installation Configurations	F-1000BT F-1300BT 	F-1000WT F-1300WT 	F-1000BTWP F-1300BTWP 	F-1000WTWP F-1300WTWP
Cluster Bracket / Accessories		HY-CL10B	YS-60B** Pole Mounting Band	
Ceiling Mounting Bracket	HY-CM10B	HY-CM10W	HY-CM10B	HY-CM10W
Board Hanger Bracket			HY-BH10B	

Wide-Dispersion Box Speakers				
Installation Configurations	F-2000BT 	F-2000WT 	F-2000BTWP 	F-2000WTWP
Cluster Bracket / Accessories	YS-60B** Pole Mounting Band	HY-CL20B Cluster Bracket	SP-131 Speaker Mount Bracket	
Ceiling Mounting Bracket	HY-CM20B	HY-CM20W	HY-CM20B	HY-CM20W

Speaker Mounting Accessories

Installation Configurations	Ceiling Speakers - F Series					
	F-122C F-122CU2	F-1522SC	F-2322C F-2322CU2	F-2352C** F-2352CU2	F-2352SC	F-2852C F-2852CU2
Tile Support Rails	HY-TB1 Q-HY-TB2		HY-TB1		Q-HY-TB2	
Ceiling Reinforcement Ring	HY-RR2	HY-RR1	HY-RR2			7020116720
Trim Ring	HY-TR1		HY-TR1			
Black (Suspension) Back Can	HY-BC1		HY-BC1			
White (Suspension) Back Can	Q-HY-BC1W		Q-HY-BC1W			
Back Can <small>(SHALLOW BACK CAN Allows the F-2352SC to be plenum rated)</small>				Q-HY-BC2	Q-HY-BC28W	
Surface Mount Bracket	HY-AH1		HY-AH1			
C2 Version Tile Bridge <small>(2 pcs/crt)</small>	5070723950		5070723950 <small>(Supplied with CU2 ver.)</small>		5070724030	
Other Configurations	E-03R F-DRYWALLKIT Q-F122GRBK		F-DRYWALLKIT Q-F122GRBK <small>(for F-122C and F-2352C only)</small>			

**Note: F-2352SC: When using the HY-TB1 the HY-RR2 is required. Supplied with CU2 versions.

**Note: F-2352SC: When using the HY-TR1 the HY-RR2 is required. Supplied with CU2 versions.

**Note: F-2352SC: When using the HY-AH1 the HY-RR2 is required.

Installation Configurations	Ceiling Subwoofer
	FB-3862CU
Surface Pendant Mount Enclosure	HY-BC2W Subwoofer only

Speaker Mounting Accessories

Installation Configurations	Line Array Speakers Type C	
	Indoor Use SR-C8L/SR-C8S/SR-C15B	Outdoor Use SR-C8LWP / SR-C8SWP / SR-C15BWP
Rigging Frame	SR-RF8	SR-RF8WP
Cluster Bracket		SR-CL8
Rigging Support Bracket		SR-SB8
Tilt Joint Plate		SR-TP8

Installation Configurations	Line Array Speakers Type H			
	SR-H2L	SR-H2S	SR-H3L	SR-H3S
Extension Plate	SR-EP3		SR-EP3	
Wall Mount Bracket				SR-WB3
Wall Tilt Mount Bracket				SR-TB3
Flying Bracket				SR-FB8
Speaker Stand Adapter	SR-SA3 Speaker Stand Adapter			MT-S0301 Matching Transformer

Speaker Mounting Accessories

	Line Array Speakers Type S			
	SR-S4L	SR-S4LWP	SR-S4S	SR-S4SWP
Installation Configurations				
Extension Plate				
Wall Tilt Bracket				
Wall Mounting Bracket				
Stand Adapter				
Flying Bracket				
Floor Stand				
Protection Pad				
Matching Transformer				

	Line Array Speakers Type T
	SR-T5
Installation Configurations	
Wall Pan Bracket	
Matching Transformer	

Speaker Mounting Accessories

	Compact Array Speakers (HX-5 Series)					
	HX-5B	HX-5W	HX-5B-WP	HX-5W-WP	FB-120B	
Installation Configurations						
Rigging Frame						
Ceiling Mounting Bracket					Low-Pass Filter Module	
Mounting Bracket						
Extension Bracket						
Speaker Stand Adapter						
Matching Transformer						

(Series on page 24)

	Coaxial Array Speakers			
	HS-1200BT	HS-1200WT	HS-1500BT	HS-1500WT
Installation Configurations				
Wall/Ceiling Mount Bracket Vertical Installation				
Wall/Ceiling Mount Bracket Horizontal Installation				
Ceiling Mount Bracket				
Wall Mount Bracket				

Speaker Mounting Accessories

Installation Configurations	Compact Array Speakers (HX-7 Series)					
	HX-7B	HX-7W	HX-7B-WP	HX-7W-WP	FB-150B	FB-150W
Rigging Frame	 HY-PF7B	 HY-PF7W			 HY-PF7B	 HY-PF7W
Rigging Bracket	 HY-VM7B	 HY-VM7W	 HY-TM7BWP	 HY-TM7WWP	Low-Pass Filter Module E-07S	
Wall Mounting Bracket	 HY-WM7B <i>(HY-VM7B required)</i>	 HY-WM7W <i>(HY-VM7W required)</i>	 HY-MS7BWP	 HY-MS7WWP		
Ceiling Mount Bracket	 HY-C0801 <i>(HY-VM7B required)</i>	 HY-C0801W <i>(HY-VM7W required)</i>				
Speaker Connection Bracket	 HY-CN7B-WP	 HY-CN7W-WP	 HY-CN7B-WP	 HY-CN7W-WP		
Angle Adjustment Bar <i>(3 pieces required for 60° mode adjustment)</i>	 HY-60DB-WP	 HY-60DW-WP	 HY-60DB-WP	 HY-60DW-WP		
Speaker Stand Adapter	 HY-ST7					
Matching Transformer	 MT-200	 Matching Transformer Adapter HY-MT7	 MT-S0601			

NOTE: for wall mounting bracket HY-WM7B/W, it requires HY-VM7B/W rigging bracket
NOTE: for ceiling mount bracket HY-C0801, it requires HY-VM7B/W rigging bracket

Optional Accessories: Megaphones

Product Series	Model	Series Picture	Optional Accessories
Megaphone	ER-604W		 WH-4000H
	ER-1203, ER-1206, ER-1206W, ER-1206S		 SP-1100
	ER-2230W, ER-2930W		 DM-1300US WTU-4800 <i>(ER-2930W)</i>

Amplifier Selection Guide

Model Number	Power	Inputs				Outputs							Rack Ears	Page	
		Mic	Aux	Tel	Module	70V	25V	Record/Bridge/Line	Pre-Amp	4 ohm	8 ohm	MOH			
A-2060 CU	60W														
A-2120 CU	120W														
A-2240 CU	240W														
A-812D	120W														
A-824D	240W														
A-848D	480W														
A-903MK2	30W														
A-906MK2	60W														
A-912MK2	120W														
A-906DHHM2	60W x 2														
A-906DSM2	60W x 2														
A-912DHHM2	120W x 2														
A-912DSM2	120W														
A-9240SHM2	240W														
AV-20D	20W x 2														
AV-60S	60W														
BA-235	35W														
BA-260	60W														
BG-220	20W														
BG-235	35W														
BG-2035	35W														
BG-2060	60W														
BG-2120	120W														
BG-2240D	240W														
BG-2480D	480W														
CA-115	15W														
CA-130	30W														
CA-160	60W x 2														
DA-150EH	See DA power output chart below														
DA-250F															
DA-250FH															
DA-250D															
DA-250DH															
DA-500F-HL															
DA-550F															
MA-725F-AM	250W x 4														
MM-700F-AM															
P-906MK2	60W														
P-912MK2	120W														
P-924MK2	240W														
P-9060DH	60W x 2														
P-9120DH	120W x 2														

*Transformer-Isolation for Telephone Paging Applications (Input #1)
** Selectable

DA AMPLIFIER POWER OUTPUT CHART

MODEL	POWER OUTPUT
DA-150EH	8 x 150W (70V)
DA-250D	2 x 250W (4 ohms) 2 x 170W (8 ohms) 1 x 500W bridged (8 ohms)
DA-250DH	2 x 250W (70V) 1 x 500W bridged (140V)
DA-250F	4 x 250W (4 ohms) 4 x 170W (8 ohms) 2 x 500W bridged (8 ohms)
DA-250FH	4 x 250W (70V) 2 x 500W bridged (140V)
DA-500F-HL	4 x 500W (70V) 2 x 1000W bridged (140V) 4 x 550W (8 ohm) 4 x 100W (4 ohms) 2 x 1100W (16 ohms)
DA-550F	4 x 550W (4 ohms) 4 x 350W (8 ohms) 2 x 1100W bridged (8 ohms)

toa-canada-corporation



toa_canada



TOACanada



TOACanadaCorp



TOACanadaCorp



We supply sound, not equipment.



TOA Canada Corporation

www.TOACanada.com

sales@toacanada.com 1-800-263-7639

Specifications are subject to change without notice.