



Expires: September 30, 2017

Send your purchase order to:

customerservice@toacanada.com or fax 1.800.463.3569 or 905.564.3569

Please see Terms and Conditions on the last page.

TOA Canada's Discontinued & B-Stock Product Clearance

Condition B1 Stock Items: Factory sealed discontinued items or factory seal broken but otherwise like new.

Condition B2 Stock Items: Packaging disturbed or cosmetic damage to product and/or refurbished.

Standard warranties apply. (5 Years Warranty on most Audio and Intercom. See TOA's Terms & Conditions for complete details)

Updated: August 28, 2017

Part No.	Description	Qty. Avail.	Condition
Condition B1 - Factory sealed discontinued items or factory seal broken but otherwise like new.			
30% off your price level			
A-2240 CU	240W Mixer amp. (5ch input, Mic./Line/PBX), phantom power	1	B1
AD-1210P CU	AC adapter for N-8500MS, N-8540DS stations	14	B1
AN-001T	9000M2 Series Module: Ambient noise control module	1	B1
AT-063P	6W Flush-mounted wall attenuator, volume control	28	B1
AT-100 AM	Volume control 100w, 25/70/100v	3	B1
AT-10K AM	10k ohm volume control	2	B1
AT-303AP	30W Flush-mounted wall attenuator, volume control	2	B1
AT-603P	60W Flush-mounted wall attenuator, volume control	7	B1
AV-60S-AM	Micro class D amplifier, 70V	7	B1
BS-1034	Slim box speaker, 10W, white	1	B1
D-937SP	Digital input module, 4ch, AES/EBU XLR/BNC selectable S/PDIF, fiber/coaxial**	6	B1
D-961SP	Digital stereo output module, 4ch, 2 sets, parallel o/p, S/PDIF, fiber optics**	5	B1
D-972AE	Digital input module, 4ch, AES/EBU XLR connector**	6	B1
E-06RB	900 Series Module: Processor module for H-3 speakers c/w subwoofer output**	6	B1
E-1231 US	1/3 octave graphic equalizer, balanced in/out	1	B1
EV-20A US	Digital sound repeater, c/w motion sens, 3W amp, USB interface, portable, pwr supply, CDROM,	18	B1
EV-20R US	Digital sound repeater, 3W amp, USB interface, line O/P, rack mountable (24V 600mA power supply req)	1	B1
F-1000BT	Box speaker, black, 100MM, 2-Way, 15W, 70V/8ohm	1	B1
F-1000WT	Box speaker, white, 100MM, 2-Way, 15W, 70V/8ohm	1	B1
F-2322CU2	30W, 12cm, full range ceiling cone spkr, 8/16ohm/25/70V sel. taps, c/w bkbx, 2/bx, 2 tilebridge	1	B1
FB-100	360W 10" low frequency driver speaker, floor mount, fly points, black, band-pass, 2 octave	5	B1
FB-120W	12" Low frequency driver, white, front-loaded	1	B1
H-3WP EX	150W wide dispersion wedge shaped, weather resistant**	1	B1
HY-1200VB	Mounting bracket, for vertical speaker mounting	3	B1
HY-PF1B	Ceiling preinstall frame, black for HX-5 & FB-120	1	B1
IP-600D US	DUAL POWER AMPLIFIER	1	B1
IR-520R	Infrared wall-mount receptor (receiver), reception area is approx. 15m line of sight	1	B1
MB-WT4	Rack mount for dual WT-5800, WT-5805, WT-4820, IR Receiver, EV-20R, (1 RU)	2	B1
MIC-X66-BK	Aerobic headset mic, black gooseneck, mini XLR (TA4F) connector	2	B1
MT-300M	MATCHING TRANSFORMER	6	B1
MT-450M	MATCHING TRANSFORMER-discontinued	1	B1
P-924MK2 HH	PA AMPLIFIER 220V	1	B1
PC-1869S F00	Small footprint, ceiling speaker, round, xfmr, grill, white, (1pc)	1	B1
PE-304	Pendant Speaker, 2-way, 8 ohm, 70V/100V	1	B1
PM-20EV US	Microphone, c/w digital sound recorder/repeater	1	B1
PM-660U	Desk-top paging microphone, push-to-talk button, with lock	2	B1
PU-200 NCU	POWER TRANSFORMER UNIT	5	B1
RM-200SA	SX General zone paging microphone	1	B1
S4.16H-G4-USQ	Handheld wireless microphone and diversity tuner kit, 16 channels	1	B1
SP-11N AM	900 Series SIP module complete with AD-1215P	1	B1
SR-C15B	Line array speaker, subwoofer	2	B1
SR-PB5	Wall pan bracket	1	B1
SR-SA3	Stand adapter	1	B1
SR-TB4	Slim type, wall tilt bracket	1	B1
T-12S	900 Series Mod: Aux input + line o/p controls, music-on-hold, screws w/passive mute circuit, 220Kohm	1	B1
TT-104B 304 L	Program timer, black	1	B1
U-01R	900 Series Module: Aux. module, c/w gain control, RCA input, 220K ohm	1	B1
UC-200A	DRIVER UNIT COVER	32	B1
VS-900AF	VOICE FUNCTION UNIT	1	B1
VS-900DI	DIRECT SELECT BOARD	1	B1
VS-900MS	MASTER STATION UNIT	7	B1
VS-900SC	OPTICAL TRANSMISSION UNIT	3	B1



Expires: September 30, 2017

Send your purchase order to:

customerservice@toacanada.com or fax 1.800.463.3569 or 905.564.3569

Please see Terms and Conditions on the last page.

TOA Canada's Discontinued & B-Stock Product Clearance

Condition B1 Stock Items: Factory sealed discontinued items or factory seal broken but otherwise like new.

Condition B2 Stock Items: Packaging disturbed or cosmetic damage to product and/or refurbished.

Standard warranties apply. (5 Years Warranty on most Audio and Intercom. See TOA's Terms & Conditions for complete details)

Updated: August 28, 2017

Part No.	Description	Qty. Avail.	Condition
VS-910DI	DIRECT SELECT I/O BOARD	11	B1
VS-910RS	SUB STATION UNIT	2	B1
WH-4000H	Headset microphone, (speech), condenser, unidirectional	1	B1
WM-2100 01	Portable transmitter, 5 channels**	1	B1
wm-5220 F01	UHF Handheld (speech) microphone, condenser, 16 channels	10	B1
WM-5225 F01	UHF Handheld (speech) microphone, condenser, unidirectional, 4x16 channels	2	B1
XWM-4300MA	REPLACEMENT MIC FOR 4300	39	B1
YR-S2320	RS-232C cross cable, 2m	2	B1
YW-4500	UHF Fixed mount, dipole antenna	4	B1
ZM-9001	9000M2 Series Module: Wall mount controller, 6 switches	1	B1
ZM-9011	9000M2 Series Module: Remote Control Panel	1	B1
ZP-001T	9000M2 Series Module: Telephone zone paging module	1	B1
Condition B2 - Packaging disturbed or cosmetic damage to product and/or refurbished.			
40% off your price level			
A-2240 CU	240W Mixer amp. (5ch input, Mic./Line/PBX), phantom power	3	B2
A-706	60W Nine channel mixer/amplifier, one optional module slot (refer to 900 Series Modules)	1	B2
A-9120SM2 CU	120 Watt single channel mixer/matrix amp., max. 8 inputs 8 outputs, Lo-Z, Hi-Z	1	B2
A-912MK2 UL	120W Eight channel, modular mixer/amplifier (requires modules, refer to 900 Series Modules)	3	B2
AD-246 US	AC adapter for AM-1CQ, EV-20A/R, PM-20EV, NX-100, Q-RM9012, Q-SS9012	2	B2
AN-001T	9000M2 Series Module: Ambient noise control module	1	B2
AT-025 AM	Volume control 25w, 25/70/100v	2	B2
AT-303AP	30W Flush-mounted wall attenuator, volume control	1	B2
AV-60S-AM	Micro class D amplifier, 70V	11	B2
BG-2035 CU	35W, five inputs mixer/amplifier, module slot, 4ohm, 25/70V, MOH/Zone 2	1	B2
BG-2060 CU	60W, five input mixer/amplifier, module slot, 4ohm, 25/70V, MOH/Zone 2	1	B2
BG-220 CU	20W, three inputs mixer/amplifier, one Mic, Two line inputs, MOH output, 4 ohm, 25V, 70V	2	B2
BG-235 CU	35W, three inputs mixer/amplifier, one Mic, Two line inputs, MOH output, 4 ohm, 25V, 70V	1	B2
BS-1034	Slim box speaker, 10W, white	1	B2
BS-1034S	Slim box speaker, 10W, silver	1	B2
BS-678	(sold in pairs) Wall mount speaker, wood (priced/pair)	1	B2
D-901 US	Digital modular mixer, max. 12x8	3	B2
DM-1300US	Lo-Z hand held vocal microphone c/w stand adapter, xlr connector	1	B2
E-05R	900 Series Module: Processor module for H-2 speakers	1	B2
EM-700	Condenser omni directional element, flush mount, low cut filter, XLR connector	1	B2
ER-1215S	Hand grip type megaphone with siren, 15 Watt	1	B2
ER-3215	Hand grip type megaphone (can be used as a shoulder-type), 15 Watt	1	B2
ER-520	Compact hand grip type megaphone, 6 Watt	1	B2
F-2322C	30W, 12cm, full range ceiling cone speaker, 8/16 ohm or 25/70V selectable taps in-front, c/w backbox	1	B2
F-2322CU2	30W, 12cm, full range ceiling cone spkr, 8/16ohm/25/70V sel. taps, c/w bkbx, 2/bx, 2 tilebridge	2	B2
F-2352C	30W, co-axial 12cm, wide disp. ceiling spkr + dome tweeter, 8/16 ohm / 25/70V sel tap. c/w bkbx	1	B2
F-2352SC	6W, co-axial 12cm, wide dispersion ceiling speaker with dome tweeter, 8/16 ohm or 25/70V sel. taps	1	B2
F-2852C	60W, co-axial 16cm, wide disp. ceiling spkr w/19mm dome tweeter, 8/16ohm/25/70V sel tap, c/w bkbx	1	B2
H-1 EX	90W 2-way, cylinder-shaped, wall/ceiling-mount	1	B2
H-2 EX	120W 2-way, dome-shaped, wall/ceiling-mount	1	B2
HLS38UL216	LOW FREQUENCY SPEAKER	2	B2
HLS38UL2-8	LOW FREQUENCY SPEAKER	3	B2
HS-1500WT	15" woofer, 6 dome tweeters, white, 100V, 70V, 8 ohms	1	B2
HX-5B	Speaker, black, variable angle speaker	2	B2
HX-5W	Speaker, white, variable angle speaker	1	B2
HY-1200HW	Mounting bracket, for horizontal speaker mounting (white)	2	B2
HY-C0801	Ceiling Mount Bracket for HS series speakers	2	B2
HY-CM20W	Ceiling mount bracket, white	1	B2
HY-PF1B	Ceiling preinstall frame, black for HX-5 & FB-120	8	B2
HY-PF1W	Ceiling preinstall frame, white for HX-5 & FB-120	3	B2



Expires: September 30, 2017

Send your purchase order to:

customerservice@toacanada.com or fax 1.800.463.3569 or 905.564.3569

Please see Terms and Conditions on the last page.

TOA Canada's Discontinued & B-Stock Product Clearance

Condition B1 Stock Items: Factory sealed discontinued items or factory seal broken but otherwise like new.**Condition B2 Stock Items:** Packaging disturbed or cosmetic damage to product and/or refurbished.**Standard warranties apply.** (5 Years Warranty on most Audio and Intercom. See TOA's Terms & Conditions for complete details)

Updated: August 28, 2017

Part No.	Description	Qty. Avail.	Condition
HY-WM2B	Wall/ceiling mounting bracket, black (zero reflection)	1	B2
IR-200BC	Battery charger	3	B2
IR-300M	Infrared wireless microphone (hands-free)	2	B2
IR-520R	Infrared wall-mount receptor (receiver), reception area is approx. 15m line of sight	2	B2
IR-702T	Infrared wireless tuner, 2 channel fixed-frequency	4	B2
IR-802T CU	Infrared wireless tuner, 2 channel fixed-frequency	2	B2
IR-820SP Y	Infrared wireless ceiling speaker, built-in receiver & 20W digital amplifier	4	B2
M-243 L	2 Mono plus 4 stereo i/p mixer, 1 stereo plus 2 mono o/p matrix	1	B2
M-9000 CU	9000 SERIES PRE-AMPLIFIER	1	B2
M-900MK2 UL	Modular mixer, 8 inputs (reqs. 900 Series modules)	3	B2
MB-WT4	Rack mount for dual WT-5800, WT-5805, WT-4820, IR Receiver, EV-20R, (1 RU)	1	B2
MP-1216 US	16 channel audio monitor panel, LED, linkable to 32 channels	3	B2
NM-01 AM	Sound masking module	1	B2
NX-100 US	Network audio interface (VOIP), audio, data, contact closure (24V 600mA power supply required)	2	B2
P-906MK2 UL	60W power amplifier (optional module port) (see 900 Series Modules)	2	B2
P-912MK2 UL	120W power amplifier (optional module port) (see 900 Series Modules)	1	B2
P-924MK2 UL	240W power amplifier (optional module port) (see 900 Series Modules)	1	B2
PC-1869S	Small footprint, ceiling speaker, round, xfmr, grill, off-white, (1pc)	1	B2
PC-648R	6W Ceiling mount speaker, round, 5" cone type, spring clamp, off-white	1	B2
PE-304WU	30W Pendant speaker, UL1480UUMW, white	1	B2
PM-222U	Handheld noise-cancelling microphone for paging	1	B2
PM-660U	Desk-top paging microphone, push-to-talk button, with lock	1	B2
Q-PJ-304BK	Projection Speaker, 2-way, 8 ohm, 70V/100V, black	3	B2
Q-S4.16H	Handheld wireless microphone and diversity tuner set, 16 channels-G band	3	B2
Q-S4.16L	Lavaliere wireless microphone and diversity tuner set, 16 channels-G band	1	B2
RM-200M S	SX RM microphone interface module	1	B2
RS-160	Indoor industrial substation	1	B2
RS-170	Heavy-duty outdoor industrial substation	1	B2
S-04S T	900 Series Module: Tone module (8 different selectable tones), gain control, terminal block	1	B2
S4.16H-G4-USQ	Handheld wireless microphone and diversity tuner kit, 16 channels	1	B2
S4.16L-G4-USQ	Lavaliere wireless microphone and diversity tuner kit, 16 channels	1	B2
S5.5-BTX-F1 Q	UHF belt-pack transmitter (microphone selection required)	1	B2
S5.5-L-QF1S	UHF Wireless kit, Lavaliere microphone, true diversity, F band frequencies	1	B2
SC-615	15W Paging horn, 8 ohm, bracket	2	B2
SR-EP3	Extension bracket	2	B2
SR-F05	SPEAKER SYSTEM W/BOX	1	B2
SR-FB3	Flying bracket	3	B2
SR-FB4	Slim type, rigging bar	1	B2
SR-FS4	Slim type, floor stand	1	B2
SR-S4S	Slim type, 10 degree model (curved)	1	B2
SR-SA3	Stand adapter	3	B2
SR-SA4	Slim type, stand adaptor	2	B2
ST-800	Table top mic stand, XLR connection, compatible with EM-800	1	B2
T-12S	900 Series Mod: Aux input + line o/p controls, music-on-hold, screws w/passive mute circuit, 220Kohm	1	B2
TS-900 UL	Central amplifier unit, with voting	1	B2
TS-902 Y	Delegate's unit (AD-0910 required)	4	B2
U-14R	900 Series Module: Dual input priority module c/w AGC	1	B2
VM-2240 304L	240W Five-zone system management amplifier (boards, modules optional)	1	B2
W-906A UL	60W Six channel, modular mixer/amplifier (reqs. 900 Series Modules)**	1	B2
WM-5225 E01	UHF Handheld (speech) microphone, condenser, unidirectional, 4x16 channels	1	B2
WM-5225 G02	UHF Handheld (speech) microphone, condenser, unidirectional, 4x16 channels	3	B2
WM-5225 H01	UHF Handheld (speech) microphone, condenser, unidirectional, 4x16 channels	1	B2
WM-5320 F01R	UHF Lavaliere microphone, OMNI, 4 x 16 channels-Recertified	5	B2
WM-5320A E01	UHF Headset (Aerobics) microphone, condenser, 4 x 16 channels	4	B2
WM-5320A F01	UHF Headset (Aerobics) microphone, condenser, 4 x 16 channels	8	B2



Expires: September 30, 2017

Send your purchase order to:

customerservice@toacanada.com or fax 1.800.463.3569 or 905.564.3569

Please see Terms and Conditions on the last page.

TOA Canada's Discontinued & B-Stock Product Clearance

Condition B1 Stock Items: Factory sealed discontinued items or factory seal broken but otherwise like new.

Condition B2 Stock Items: Packaging disturbed or cosmetic damage to product and/or refurbished.

Standard warranties apply. (5 Years Warranty on most Audio and Intercom. See TOA's Terms & Conditions for complete details)

Updated: August 28, 2017

Part No.	Description	Qty. Avail.	Condition
WS-5325M E01US	UHF Lavalier kit, omnidirectional, WM-5325, YP-M5310 and WT-5810	1	B2
WT-5800 G02US	UHF Wireless tuner, true diversity, 4 x 16 channels	1	B2
WT-5810 E01US	UHF Wireless portable tuner, space diversity, 16 channels	2	B2
WT-5810 F01US	UHF Wireless portable tuner, space diversity, 16 channels	1	B2
XWM-4300MA	REPLACEMENT MIC FOR 4300	1	B2
ZM-9001	9000M2 Series Module: Wall mount controller, 6 switches	1	B2
ZM-9002	9000M2 Series Module: Wall mount controller, 1 volume, 4 switches	1	B2
ZM-9011	9000M2 Series Module: Remote Control Panel	2	B2
ZM-9012	9000M2 Series Module: Remote Control Panel	3	B2
ZM-9013	9000M2 Series Module: Remote Control Panel	6	B2

Terms & Conditions:

Clearance items available only to Authorized TOA Dealers (Contact TOA for a dealer near you) • All terms & conditions of sale apply as stated in your TOA January 1, 2017 Price List • Offer not valid with any other special or special terms. • Sale in effect while quantities last. • Quantities are limited. • All sales are final. No returns or refunds will be accepted. • Standard warranty applies. • All orders must be placed with a valid purchase order to 1-800-463-3569 or 905-564-3569, customerservice@toacanada.com. • Contact TOA's Customer Service Department for pricing, to check quantities or with questions.