

TOA Canada's NEW Overstock Products.

SPRING SALE

-30%

Updated March 19, 2025

Part No.	Material Description	Qty. Avail.
A-5006 3CUD00	60W, 4 input Mixer/Amplifier, DSP, 4ohm, 70V	16
A-5012 3CUD00	120W, 4 input Mixer/Amplifier, DSP, 4ohm, 70V	14
A-9060DHM2CU B00	60W dual channel mixer/matrix amplifier, max. 8 inputs 8 outputs, Hi-Z	14
ACC-5200WS	Foam windshield for MIC-X55 and MIC-SJ55	5
ACC-66WS	Foam windshield for MIC-X66-BK/BL/YE and	5
AD-1215P A00	AC adapter for N-8600MS, N-8510MS, N-8650DS, Q-N8640DS, stations	25
AD-5000-6 US	AC adapter for BC-5000-6 & BC-5000-12 battery chargers	5
AM-1CQAM	Real-time steering array Mic., control unit only (AD-246 req.)	5
AN-001T B00	9000M2 Series Module: Ambient noise control module	25
AN-9001 B00	9000M2 Series Module: Ceiling mount Mic. used w/ AN-001T or DP-L2	41
AT-100EMG-AM	100W Decora-Style Volume control w/relay, 25V/70V/100V	531
AT-303AP	30W Flush-mounted wall attenuator, volume control	48
B-11S T D00	900 Series Module: Bridging module, mute-receive, terminal block, 10K ohm	23
B-21S D00	900 Series Module: Bridging module w/remote control volume	33
BB-1864 QV	Back box for 1860, PC-658R & PC-648R speaker	243
BC-5000-12	Battery charger, simultaneously charge 12 Mics. (AD-5000-6 req.)	8
BC-5000-6	Battery charger, simultaneously charge 6 Mics. (AD-5000-6 req.)	4
BC-820 QV	Surface mount back box for the IR-820SP ceiling speaker	213
BX-9F	Flush back-box for wall amps W-906/912A	6
D000706350 QV	Lavalier microphone for S4.10 (same as MIC-LP2)	8
D-2000CB	CobraNet interface module, CobraNet: 100BASE-TX, RJ45 connector	2
D-2000DA1	Line output module, 4 channels, XLR	7
DP-L2 CU	Digital ambient noise controller	5
E-03R D00	900 Series Module: Processor module for F-122C speakers	56
E-05R	900 Series Module: Processor module for H-2 speakers	25
E-07S	900 Series Module: Low-frequency line output for HB-1/FB-100 low frequency drivers	4
E-7000TB	900 Series Module: Low-frequency line output for HB-1/FB-100 low frequency drivers	5
EM-700	Terminal Board Unit exclusive for N-8000	6
ER-1206	6W, splash-proof hand grip type megaphone, clear	4
ER-1206S	6W, splash-proof hand grip type megaphone w/ siren, red	1
ER-520	6W, compact hand grip type megaphone	31
ER-520W	6W, compact hand grip type megaphone w/ whistle	33
ER-604W	10W, Mega talk/portable PA System, incl. shoulder strap	4
EV-200M A00	Digital voice announcer board**	1
F-1000BTWP	15W, Box speaker, 4" w/ tweeter, 2-Way, 70V ONLY, weather resistant, black	87
F-1000WTWP	15W, Box speaker, 4" w/ tweeter, 2-Way, 70V ONLY, weather resistant, white	69
F-1300WTWP	30W, Box speaker, 5" w/ tweeter, 2-Way, 70V ONLY, weather resistant, white	100
FB-3862CU-AM C00	60W 8" speaker, Flush-mount ceiling subwoofer, low frequency, 70V, 8 ohm bypass, white	112
H-2WP EX	12W, 2-way, dome shape, 4" speaker, + 1" tweeter, wall/ceiling mount, 4/16 ohm/70V weather resistant	36
HA-1010 Q	60W, 100V , long range outdoor array Horn speaker unit x 8, IP66	12
HY-1500HW	Mounting bracket, for horizontal speaker mounting, for HS-1500 speakers, white	20
HY-AH1	Anchor hanging bracket for F-122C, F-2322C, F-2352C, F-2852C speakers**	70
HY-BC2W QV	Enclosure for FB-3862CU subwoofer, white	69
HY-BH10B	Board hanger bracket, F-1000, F1300, black	14
HY-C0801	Ceiling Mount Bracket for HS series speakers HS-120B, HS-150B, HS-1200B, HS-1500B	35
HY-C0801W	Ceiling Mount Bracket for HS series speakers HS-120W, HS-1200WT, HS-1500WT	22
HY-CL10B	Cluster bracket for F-1000, F1300, black	20
HY-CL20B	Cluster bracket for F-2000, black	17
HY-CM20B	Ceiling mount bracket for F-2000, black	19
HY-CN1B	Extension bracket for HX-5, black	19
HY-CN1B-WP	Extension bracket for HX-5, black, weather resistant	18
HY-CN1W	Extension bracket for HX-5, white	11
HY-CN1W-WP	Extension bracket for HX-5, white, weather resistant	15
HY-CN7B F00	Extension bracket for HX-7, black	8
HY-CN7W F00	Extension bracket for HX-7, black, weather resistant	8
HY-CW1W	Ceiling mounting bracket, swivel for HX-5, white	13
HY-CW1WP	Ceiling mounting bracket, swivel for HX-5, stainless steel, weather resistant	10
HY-H1	Adapter panel for H-1, fits standard 4 gang box	76
HY-MS7B-WP A00	Bracket for mounting HX-7 under outdoor eaves, black, weather resistant	14
HY-MS7W-WP A00	Bracket for mounting HX-7 under outdoor eaves, white, weather resistant	10
HY-MT7 F00	Bracket for mounting MT-200 to the HX-7	17
HY-PF1W	Ceiling preinstall rigging frame for HX-5 & FB-120, white	17

HY-PF1WP		Ceiling preinstall frame for HX-5 & FB-120, stainless steel, weather resistant	16
HY-RB1860	AMQQV	12" Round Baffle Trim Ring for 5" speaker, for PC-1860, PC-1860S, PC-1869, PC-1869S & F-1522SC	65
HY-ST7	A00	Speaker stand adapter for HX-7, black, use w/ 35mm pipe	8
HY-TM7B-WP	A00	T-Rigging bracket for HX-7, black, weather resistant	18
HY-TM7W-WP	A00	T-Rigging bracket for HX-7, white, weather resistant	6
HY-VM7B	A00	T-Rigging bracket for HX-7, FB-150 system, black	17
HY-W0801		Wall mount bracket for HS-120B, HS-150B, HS-1200BT, HS-1500BT, black	19
HY-W0801W		Wall mount bracket for HS-120B, HS-150B, HS-1200BT, HS-1500BT, white	24
HY-WM2B		Wall/ceiling mounting bracket for HX-5, black (zero reflection)	58
HY-WM2WP		Wall/ceiling mounting bracket for HX-5, white (zero reflection)	28
HY-WM7B	A00	Wall mounting bracket for HX-7, use w/ HY-VM7B, black	16
HY-WM7W	A00	Wall mounting bracket for HX-7, use w/ HY-VM7W, white	15
IR-520R		Infrared wall-mount receptor (receiver), reception area is approx. 15m line of sight	147
IR-801AF	US	Single channel (A), wireless tuner w/ output to control Infrared Mic.	20
IR-801AF	US DQD00	Audio Interface Unit, Infrared & Audio signal combiner & splitter, w/ Mic. priority control	73
IT-450		Input transformer**	1
L-01F		900 Series Module: Line in module, XLR-F, 600 ohm	29
L-11S	T D00	900 Series Module: Line in module, mute-receive, terminal block, 600 ohm	34
L-41S	T D00	900 Series Module: Line in module, mute-send, terminal block, 600 ohm	35
M-01M	D00	900 Series Module: Mic. module c/w gain, phantom power, XLR-M, 600 ohm	3
M-01P		900 Series Module: Mic. module c/w gain, phantom, phone plug, 600 ohm	11
M-03P		900 Series Module: Mic. module c/w gain, phone plug, 50K ohm	21
M-11S	T D00	900 Series Module: Mic. module c/w gain, mute-receive, phantom, terminal block, 600 ohm	24
M-41S	D00	900 Series Module: Mic. module, mute-send, screws, 600 ohm	21
M-51F	D00	900 Series Module: Mic. module, gate, gain, phantom, XLR-F, 600 ohm	22
M-51S	T	900 Series Module: Mic. module, gate, gain, phantom, terminal block, 600 ohm	25
M-61S	T D00	900 Series Module: Mic module, compressor gain, phantom, terminal block, 600 ohm	52
MB-15B-BK		Rack mounting bracket kit for one NX-100/300, or N-8000/AF/AL/CO (1 RU)	32
MB-15B-J		Rack mounting bracket kit for 2 NX-100/300, or N-8000/AF/AL/CO (1 RU)	116
MB-25B-J		Rack Mounting brackets for dual BA-200 or BG-200 Series (2 RU)	17
MB-36		Rack-mounting brackets for VM-2000 (3 RU)	19
MB-480V4-AM		Rack mounting panel for up to 4 IF-480V monitor interface	4
MB-AM1B-Q	QU	Black Mounting Kit for AM-1	3
MB-AM1W-Q	QU	White Mounting Kit for AM-1	2
MB-S4RX-5-EB		19" Rack mount tray for 2 receivers (used w/ S4.10 receivers)	1
MB-S4RX-5-EB	QV	19" Rack mount tray for 2 receivers (used w/ S4.10 receivers)	20
MB-TS900		Rack mount kit for TS-800/900 central units	33
MB-TS920	E00	Rack mount kit for TS-820/920 central units	19
MIC-SJ22-B-R		Headset Mic., black, 3.5mm connector	4
MIC-SJ22-P-R		Headset Mic., beige, 3.5mm connector	2
MIC-SJ66-BL		Aerobic headset Mic., blue gooseneck. 3.5mm connector	5
MIC-SJ66-YE		Aerobic headset Mic., yellow gooseneck. 3.5mm connector	4
MIC-SJEM77-P		Ear worn Mic., beige, 3.5mm connector	9
MIC-X2		Lavaliere Mic., black, mini XLR (TA4F) connector	1
MIC-X212-P-R		Pro lavaliere, beige, mini XLR (TA4F) connector	2
MIC-X22-B-R		Headset Mic., black, mini XLR (TA4F) connector	1
MIC-X22-P-R		Headset Mic., beige, mini XLR (TA4F) connector	4
MIC-X33		Headset Mic., black, mini XLR (TA4F) connector	4
MIC-X55		Lavaliere Mic., black, mini XLR (TA4F) connector	4
MIC-X66-BK		Aerobic headset Mic., black gooseneck, mini XLR (TA4F) connector	3
MIC-X66-YE		Aerobic headset Mic., yellow gooseneck, mini XLR (TA4F) connector	4
MP-1216	US	16 channel audio monitor panel, LED, linkable to 32 channels	1
NF-2	D00	Window Intercom System	2
N-SP80SB	QV	SIP Audio PCB Board with microphone	65
N-SP80WB WALL	QV	Robust Wall Mount Bracket for N-SP80MS	82
NX-300	W B00	Network audio adapter, 2 channel audio, messaging, contact closure (AD-246 req.)	1
N-XC65.KPD-018FQV		AC ADAPTOR FOR N-X65-W	10
N-XC65-25PS2	QV	25' Extension Cable for N-XC65-WP	61
N-XC65-MIC	QV	Gooseneck Microphone for N-XC65-W	20
N-XC65-WP	100	IP Audio Window Intercom Kit, 2-way (power supply incl.), Weather Resistant	157
PC-3CL		3 W, 70 V, completely-sealed, flush-mounted ceiling speaker	13
PCB-UC4SC615Q		IP Horn PCB Unit	20
PF-013B		1 Size perforated panel	10
PJ-304		PJ-304	66
PW-1230DB		Black bi-directional planewave speaker, 524 (W) x 355 (H) mm**	1
PW-1430SW		White single directional planewave speaker, 831 (W) x 355 (H) mm**	1
Q-F122GRBK		Black Grill Assembly for F-122C / F-122CU2, F-2352C / F-2352CU2, & F-2352SC	196
Q-HY-BC28W	QV	White back box (surface-mount) for F-2852C	205
Q-N8640DSB28700		IP door station, full duplex, 4 control outputs, external speaker output, IP65 (dust/water) (AD-1215P re	1
Q-RS180BZ		Emergency panic sub-station w/ LED, water resistant buzzer, connects to N-8000RS, N-8010RS	5
RM-200SA	D00	SX General zone paging microphone	2

RS-142		IP PCB substation board, connects to substation interface N-8000RS or N-8010RS	1
RS-190		Full Duplex Substation	58
RS-460		4-wire indoor vandal-resistant substation, flush mount, call & converse, connects to N-8400RS	1
RS-480VSET-AM		Full duplex substation intercom w/camera, req. N-8400RS. c/w IF-480V monitor interface & AC adaptc	7
RS-481	A00	Optional handset for RS-480	8
S-01S	T D00	900 Series Module: 1KHz sine wave signal module, terminal block	36
S-02S	T D00	900 Series Module: Buzzer/yelp/signal module, terminal block	26
S2.4-ANT	QV	S2.4 Replacement Antenna set for S2.4HBX	28
S2.4BBX	QV	Digital Wireless 16 channel, RX2 Receiver w/ 2 x BTX Beltpacks	30
S2.4BX		Digital Wireless 16 channel, RX1 Receiver w/ BTX Beltpack	44
S2.4-HMO	QV	Headworn Mic. omnidirectional	48
S2.4-HMU	QV	Headworn Mic. unidirectional	20
S2.4-RX2-G3		2 channel Receiver w/ LCD (1 Unit size), 16 available channels	17
S4.10-HDX-AMWM3QU		Trantec S4.10 dynamic. handheld Mic.	61
S4.10-L-AM RM3QU		Trantec S4.10 wireless system w/ belt pack transmitter w/ lavalieri, up to 16 channels	44
S4.10-LTX-AMWM3QU		Trantec S4.10 belt pack transmitter w/ lavalieri	64
S4.10-RXA-AMRM3QU		Trantec S4.10 wireless receiver, up to 16 channels	50
S5.3-HDX-H2 Q		Handheld cardioid dynamic wireless Mic.	8
S5.3-RX-H2 Q		Trantec UHF Wireless receiver, true diversity, 12 channels	7
SO-MIX-T		Remote mixer XLR/RCA input, balanced output (24V 600mA power supply req.)	36
SP-1100		Wall mounting bracket for megaphone ER-1203, ER-1206	38
SP-11N AM	D00	900 Series SIP module complete w/ AD-1215P (Asterisk & CUCM compliant)	269
SP-11NRB	QAMQV	SIP Interface Stand Alone Chassis for SP-11N	17
SP-420		In-wall/ceiling adjustable mounting bracket for BS-1030B/W	32
SR-C8LWP		360W, 16 ohm, 2-Way Line Array, long distance, weather resistant	4
SR-C8SWP		360W, 16 ohm, 2-Way Line Array, short distances, weather resistant	2
SR-D8CL		Two speaker wall anchor plate**	4
SR-D8CS		Single speaker wall anchor plate**	3
SR-D8EP		Connection plate to join speakers**	4
SR-D8FB		Horizontal angle adjusting bar**	4
SR-D8HB		Speaker hoisting only bracket. Not for permanent install**	2
SR-D8-M	CU	Steerable line array Main unit, MASTER**	1
SR-D8-S		Steerable line array secondary unit, SLAVE**	2
SR-D8WB		Wall speaker bracket**	2
SR-EP3		Extension bracket, SR-H3L, SR-H2L	12
SR-EP4WP		Slim type, extension plate, weather resistant	1
SR-FB3		Flying bracket, SR-H3S, SR-H3L, SR-H2S, SR-H2L	21
SR-FB4		Slim type, rigging bar, SR-S4L or SR-S4S	19
SR-FS4		Slim type, floor stand	13
SR-ML1B	QAM	Low frequency expand speaker, black	3
SR-ML1W	QAM	Low frequency expand speaker, white	3
SR-PB1W-AM		Panning wall mount bracket, white	4
SR-PB5		Wall pan bracket, SR-T5	25
SR-PP4		Slim type, rubber protector	21
SR-RF8		Rigging Frame, SR-C8L, SR-C8S, or SR-C15B	1
SR-RF8WP		Rigging Frame, weather resistant, SR-C8L, SR-C8S, or SR-C15B	4
SR-SA4		Slim type, stand adapter, SR-S4L or SR-S4S	23
SR-SB8		Rigging support bracket in conjunction w/ the optional SR-RF8	4
SR-TP12		Mid type - tilt joint plate	7
SR-WB4WP		Slim type, wall mount bracket, weather resistant, SR-S4L	3
T-02S		900 Series Module: Aux. input + line o/p controls, music-on-hold, screws, 220K ohm	11
T-12S		900 Series Mod: Aux input + line o/p controls, music-on-hold, screws w/passive mute circuit, 220K ohr	2
TH-660		Reflex horn flare, reqs. driver unit (incl. BR, BE & CE)	4
TS-821	Y E00	TS-820 system: Chairman Unit	34
TS-907		Transmitter/receiver (high power)	20
TS-921	Y E00	TS-920 system: Chairman Unit	22
U-01F	D00	900 Series Module: Aux. module, c/w gain control, XLR-F, 220K ohm	70
U-01P		900 Series Module: Aux. module, c/w gain control, phone plug, 220K ohm	6
U-11R	D00	900 Series Module: Aux. module, mute-receive, gain control, RCA input, 220K ohm	22
U-12S	T	900 Series Module: Aux. module, c/w variable mute-depth, gain control, terminal block, 220K ohm	9
U-13S	D00	900 Series Module: Aux. module, w/ EQ, mute-receive, Mono, screws, 220K ohm	28
U-43R		900 Series Module: Aux. module, w/EQ, mute-send, 220K ohm	2
U-43R	D00	900 Series Module: Aux. module, w/EQ, mute-send, 220K ohm	6
U-43S		900 Series Module: Aux. module, w/EQ, mute-send, 220K ohm	3
U-61S	T D00	900 Series Module: Aux. module, gain control, compressor, terminal block, 220K ohm	35
V-01S	D00	900 Series Module: Remote master volume control (VCA) module	20
WB-900B		2U wall mount bracket for BG220/235	24
WB-AM1BWC AM		Black Mounting Kit for AM-1	3
WB-RM200		Wall mounting bracket, RM-200	24
WH-4000P		Aerobics waist belt for WM-5325 transmitter	58
WH-4000S		Replacement windscreen for headset Mic. (min 10/ 1 carton)	40

WM-2100 01	Portable Receiver, 5 channels**	7
WM-2110 01US	Desk-top transmitter, 5 channels**	6
WPB-20 QV	Surface & Pole Mount bracket for AV-20/AV-60	107
WS-5225-AM RM1D00	UHF 16 channel Operates on M Band, incl., WM-5225 Handheld Mic. & WT-5810 diversity wireless t	50
WS-5265-AM RM1D00	UHF 16 channel Operates on M Band, incl., WM-5265 Handheld Mic. & WT-5810 diversity wireless t	47
WS-5325M-AM RM1D00	UHF 16 channel Operates on M Band, incl., WM-5325 transmitter, YP-M5310 omnidirectional lavalier	50
WS-5325U H01US	UHF 16 channel Operates on H Band, incl., WM-5325 transmitter, YP-M5300 unidirectional lavalier I	44
WS-5325U-AM RM1D00	UHF 16 channel Operates on M Band, incl., WM-5325 transmitter, YP-M5300 unidirectional lavalier	45
WT-5805-AM RM1D00	UHF Wireless Receiver- Space Diversity- 64 channel - Scanner, 2 Whip Antennas, (1U), Operates or	36
WTU-M9800-AMWM1D00	900 series module: Wireless Tuner Unit, 16 channel	160
YA-706	Rack runner for A-5000 Series Mixer/Amplifier (<i>sold in pairs</i>)	3
YA-920	Volume control cover, black	265
YC-150	Flush mount back box, 3-gang, for N-8050DS, N-8640DS	5
YC-241	Flush mount back box, for N-8031MS	65
YC-251	Surface mount back box for N-8031MS	11
YC-280	Surface mount bracket for N-8000MS, N-8010MS, N-8020MS, N-8510MS, N-8600MS	15
YC-290	Wall mount bracket for N-8011MS	16
YC-400 C00	Flush mount, 4 Gang back box for N-SP80VS1, N-SP80AS1	30
YC-823 A00	Outdoor wall-mount box, stainless steel, 2 gang, for RS- 170/180/450/460/470/480	24
YC-841	Flush mount back box for N-8033MS	10
YM-1J	1/4" female TRS jack, single gang wall plate w/ cover	27
YM-3CF	XLR female jack, single gang wall plate w/ cover	24
YP-1AF	Wall Plate for YM-1J, YM-3CF.	50
YP-E5000	Universal assist ear speakers for WT-5100, 3.5mm connector	16
YP-M301	Headset Microphone for IR-300M, black	7
YP-M5000E Q D00	Over the Ear Mic., condenser, omnidirectional element, 3.5mm connector	21
YP-M5000H Q D00	Headset Mic, condenser, omnidirectional element, 3.5mm connector	22
YR-700	Extension cable for networking TS series Conference System	4
YW-1022 Y	Antenna distributor 1in/2out	15
YW-1024 Y	Antenna distributor 1in/4out	16
ZM-9001 B00	9000M2 Series Module: Wall mount controller, 6 switches	16
ZM-9003	9000M2 Series Amp: Remote switch panel, 6 swtiches	14
ZM-9011	9000M2/M-864D Remote Control Panel - 9000M2 use reqs. RC-001T & AD-246	1
ZM-9013	9000M2/M-864D Remote Control Panel - 9000M2 use reqs. RC-001T & AD-246	4
ZP-001T B00	9000M2 Series Module: Telephone zone paging module	65

Terms & Conditions:

Clearance items available only to Authorized TOA Dealers (Contact TOA for a dealer near you)

- All terms & conditions of sale apply as stated from the most recent TOA Canada Price List
- Offer not valid with any other special or special terms.
- Sale in effect while quantities last.
- Quantities are limited.
- Standard warranty applies
- All orders must be placed with a valid purchase order;

E-mail: customerservice@toacanada.com. Contact TOA's Customer

Service Department for pricing to check quantities or with questions.

TOA Canada's Discontinued and B-Stock Products.

SPRING SALE

Updated March 19, 2025

Part No.	Material Description	Condition	Qty. Avail.
Condition B1 - Factory sealed discontinued items or factory seal broken but otherwise like new. 30% off your price level.			
A-812D 3CUE00	800D SERIES MIXER AMPLIFIER	B1	1
AD-5000-2 US	AC ADAPTER	B1	1
AT-10K AM QV	10k ohm volume control	B1	1
BC-5000-2 A00	BATTERY CHARGER	B1	1
BS-1034	WALL MOUNT SPEAKER	B1	2
BS-678	WALL MOUNT SPEAKER 6W	B1	2
BS-680U	WALL MOUNT SPEAKER 6W (UL)	B1	2
CS-304	WIDE RANGE CONE SPEAKER	B1	1
CS-761W F00	2WAY COAXIAL HORN SPEAKER 60W	B1	1
D-001T B00	9000 SERIES PLUG-IN MODULE	B1	1
D-2000AD1	MIC/LINE INPUT MODULE	B1	1
EM-800	GOOSENECK MICROPHONE	B1	1
EV-350R L	DIGITAL ANNOUNCER	B1	4
H-2 EX	INTERIOR STYLISH SPEAKER	B1	1
HY-1200HW	HS SPEKAERS MOUNTING BRACKET	B1	2
HY-1200VB	HS SPEKAERS MOUNTING BRACKET	B1	3
HY-1200VW	HS SPEKAERS MOUNTING BRACKET	B1	1
HY-C0801W	HS SPEKAERS CEILING MOUNT BRACKET	B1	1
HY-PF1B	HX-5 SPEAKER RIGGING FRAME	B1	1
HY-W0801W	HS SPEAKER WALL MOUNT BRACKET	B1	2
IP-A1SC15 E00	IP HORN SPEAKER 15W	B1	1
IP-SC15MC Q D00	IP HORN SPEAKER	B1	1
IR-310BC US	BATTERY CHARGER	B1	1
M-900MK2 UL D00	PA MIXER PREAMPLIFIER	B1	1
MB-WT4	MIC TUNER MOUNT BRACKET	B1	2
PC-2268WP	SPLASH-PROOF CEILING SPEAKER 6W	B1	5
PE-304WU	PENDANT SPEAKER 30W	B1	1
PE-604BU	PENDANT SPEAKER 60W	B1	1
S2.4HBX kit	S2.4HDX-G3 + S2.4BTX-G3 + S2.4RX2-G3	B1	2
S4.10-L-AM RM3QU	Wireless system w/ body pack & lavalier	B1	1
SC-615	PAGING HORN SPEAKER	B1	1
SR-TB4	LINE ARRAY WALL TILT BRACKET	B1	3
SR-WB3	LINE ARRAY WALL TILT BRACKET	B1	1
SR-WB4	LINE ARRAY WALL TILT BRACKET	B1	5
TS-822 Y E00	DELEGATE UNIT	B1	2
TS-924 100	LONG MICROPHONE UNIT	B1	3
WH-4000A	HEAD SET MICROPHONE	B1	1
WM-2100 01	PORTABLE TRANSMITTER	B1	2
WM-5225-AM -M1D00	WIRELESS MICROPHONE (HANDHELD)	B1	1
WM-5265 H01	WIRELESS MICROPHONE	B1	2
WS-5225-AM RM1D00	WIRELESS SET	B1	1
ZM-9012 B00	REMOTE CONTROL PANEL	B1	1

NOW

-70%

Part No.	Material Description	Condition	Qty. Avail.
Condition B2 - Packaging disturbed or cosmetic damage to product and/or refurbished.			
40% off your price level.			
A-2120 CU	MIXER AMPLIFIER	B2	1
A-812D 3CUE00	800D SERIES MIXER AMPLIFIER	B2	3
A-906MK2 UL D00	PA AMPLIFIER	B2	2
A-9120DHM2CU B00	9000M2SERIES AMPLIFIER	B2	1
BG-220 CU F00	MIXER AMPLIFIER	B2	1
BS-1034	WALL MOUNT SPEAKER	B2	2
BS-1034S	WALL MOUNT SPEAKER	B2	1
BX-41S QV	Backbox for MW-41BT,surface mount	B2	1
D-001T B00	9000 SERIES PLUG-IN MODULE	B2	1
D-901 US	DIGITAL MIXER	B2	1
D-922E	MIC/LINE INPUT MODULE	B2	1
DM-1300US	DYNAMIC WIRED MICROPHONE	B2	1
EV-20R US D00	SOUND REPEATER	B2	1
EV-700 W A01	DIGITAL ANNOUNCER	B2	2
F-2322C	Wide-Dispersion Ceiling Speaker	B2	1
F-2352C	Wide-Dispersion Ceiling Speaker	B2	1
F-2352SC	PANEL CONE SPEAKER	B2	1
H-3 EX	INTERIOR STYLISH SPEAKER	B2	1
HY-C0801	HS SERIES CEILING MOUNT BRACKET	B2	2
HY-PF1B	HX-5 SPEAKER RIGGING FRAME	B2	1
HY-PF1W	HX-5 SPEAKER RIGGING FRAME	B2	3
HY-WM2B	HX-5 SPEAKER RIGGING FRAME	B2	1
IP-SC15MC Q D00	IP HORN SPEAKER	B2	5
IR-520R	INFRARED WIRELESS RECEIVER	B2	1
IR-820SP Y	INFRARED WIRELESS SPEAKER	B2	5
IR-820SP Y 4QD00	INFRARED SPEAKER	B2	1
M-800DT-AM D00	DANTE MODULE	B2	1
M-9000M2 CU B00	9000M2SERIES PRE-AMPLIFIER	B2	2
M-900MK2 UL	PA MIXER PREAMPLIFIER	B2	4
M-900MK2 UL D00	PA MIXER PREAMPLIFIER	B2	1
MA-725F-AM 3CUD00	4 CHANNEL MIXER POWER AMPLIFIER	B2	2
MB-WT4	MIC TUNER MOUNT BRACKET	B2	1
N-8000CO CU	C/O INTERFACE UNIT	B2	1
N-8010MS Y A00	MASTER STATION	B2	1
N-SP80AS1 100	SIP AUDIO DOOR STATION	B2	2
PE-304WU	PENDANT SPEAKER 30W	B2	3
PJ-304	PROJECTION SPEAKER 30W 2WAY	B2	1
PM-660U	PAGING MICROPHONE	B2	1
RC-001T	9000M2SERIES REMOTE CONTROL MODULE	B2	1
S2.4HBX	S2.4HDX-G3 + S2.4BTX-G3 + S2.4RX2-G3	B2	1
SC-615T	PAGING HORN SPEAKER	B2	1
SR-H3S	LINE ARRAY SPEAKER	B2	2
SR-MF1W QAM	MECHANICALLY STEERABLE LINE ARRY SPEAKER	B2	1
SR-ML1W QAM	LOW FREQUENCY EXPAND SPEAKER	B2	1
SR-S4L	LINE ARRAY SPEAKER	B2	4
ST-800	MICROPHONE STAND	B2	1

VM-3240E AMQ	VM EXTENSION AMPLIFIER 240W	B2	1
WM-5225-AM -M1D00	WIRELESS MICROPHONE (HANDHELD)	B2	2
WM-5265-AM -M1D00	WIRELESS MICROPHONE (HANDHELD)	B2	1
WM-5325 H01	WIRELESS TRANSMITTER	B2	1
WM-5325-AM -M1D00	WIRELESS TRANSMITTER	B2	1
WT-4820 US	WIRELESS TUNER	B2	1
WTU-M9800-AMWM1D00	WIRELESS TUNER UNIT	B2	2

Terms & Conditions:

Clearance items available only to Authorized TOA Dealers (Contact TOA for a dealer near you)

- All terms & conditions of sale apply as stated from the most recent TOA Canada Price List
- Offer not valid with any other special or special terms.
- Sale in effect while quantities last.
- Quantities are limited.
- All sales are final. No returns or refunds will be accepted.
- Standard warranty applies
- All orders must be placed with a valid purchase order;

E-mail: customerservice@toacanada.com. Contact TOA's Customer

Service Department for pricing to check quantities or with questions.