

S5.3-HDX-H2 Q

S5.3 HANDHELD MICROPHONE



The S5.3-HDX is a handheld wireless microphone. This features user-friendly operability, and employ an easy-to-read LCD display. Also, it is possible to perform the system settings through infrared communications.

Key features

- Dynamic cardioid microphone capsule
- Full-metal housing is extremely durable, well weighted and highly ergonomical
- 1x AA battery allows up to 10 hours of continuous operation
- Infrared sensor for synchronization between the mic and the receiver
- Pickup pattern ensures that ambient noise will be most effectively suppressed compared to frontal sources
- Integrated antenna
- Premium look, matt black finish of its body and grill

Specifications

Microphone Element	Dynamic microphone with hyper cardioid
Frequency Range	576 - 606 MHz, UHF
RF Carrier Power	Less than 50mW (Factory preset 10mW ERP)
Modulation Type	PLL synthesized
Maximum Input Level	146 dB SPL (microphone sensitivity: Gain "0")
Maximum Deviation	±40 kHz
Audio Frequency Response	60 Hz - 20 kHz
Dynamic Range	110 dB or more (with S5.3-RX)
Battery	LR6 (AA)
Battery Life	10 hours (Alkaline)
Indicator	LCD display, Power lamp
Antenna	Built-in type
Function	Mute switch, Infra-Red ink port, Battery life indicator (4 steps), Microphone sensitivity adjustment (Gain 0 -2; 12 dB)
Operating Temperature	-10 °C to +50 °C (14 °F to 122 °F)
Finish	Dark gray
Dimensions	Ø50 x 247.9 mm (Ø1.97" x 9.8")
Weight	380g (0.84 lbs) (with battery)
Included Accessories	Microphone holder W3/8" (with stand adapter) x 1, Color ring(6 colors) x 6